

DESCRIPTION

AN INFORMATION PROCESSING APPARATUS, A DISPLAY CONTROL
METHOD OF THE INFORMATION PROCESSING APPARATUS, A STORAGE
MEDIUM AND ITS PROGRAM

5

TECHNICAL FIELD

This invention relates to an information processing
apparatus which has a function for displaying a window
10 display screen on a display device being connected outside,
its display control method, its storage medium, and its
program and especially to an information processing
apparatus which displays a picture in a specific window
on the external display device, its display control method,
15 a storage medium, and its program.

BACKGROUND ART

The wave of low-pricing and a miniaturization of a
20 personal computer used by individual person is remarkable
according to a development of the computer. Such a personal
computer is used also at a home only as a tool of an office
work. For this reason, it is required that it should have
a function as home electronics apparatus in the personal
25 computer. For example, in a personal computer, it has the
function that reproduces image picture disks, such as DVD,
and the function to perform games, such as CD.

Pictures, such as such an image, are usually displayed on the display screen of a personal computer. However, the personal computer is developed for the purpose of small and low-pricing, and the screen size is about 15 inches from 14 inches at maximum. On the other hand, the television and the projector that are used in a home or office have the tendency of big-screen, and that of 40 inches and 50 inches has appeared.

For this reason, it is required to not only display a picture on the small screen of a personal computer, but also to display the processing picture of a personal computer on an external large-sized display device. In order to realize this, the external display connection port is provided to the personal computer, and the processing picture is displayed on large-sized television by connecting the television to this port.

This method is for display the whole display screen of a personal computer on the external display. On the other hand, a personal computer processes two or more tasks concurrently, and displays two or more each tasks on one display screen in the form of a window.

For this reason, since two or more windows are displayed on an external display when making two or more tasks run, it occurs a problem that it cannot display only one window on the external display of a big screen during multitasking execution. For example, the window screen of other unnecessary tasks is also displayed on a big-screen

of a by television during multitasking execution even though wanting to enjoy the reproduction picture of DVD, Video-CD with a big-screen television.

On the contrary, in order to display only one window
5 on a big screen display, it is necessary not to start or to end processing of other tasks, and it occurs the problem that precious multitasking and a multi-window function of the personal computer cannot be used. For example, a transmission display of E-mail or WORD processing cannot
10 be performed during reproduction of DVD.

DISCLOSURE OF INVENTION

Therefore, it is an object of this invention to provide
15 an information processing apparatus for displaying a desired window of a computer screen on an external display device while executing multitasking, its display control method, a storage medium, and its program.

Moreover, it is another object of this invention to
20 provide the information processing apparatus, its display control method, a storage medium, and a program for setting up easily the window to display on an external display device.

Furthermore, it is further object of this invention
25 to provide the information processing apparatus, its display control method, a storage medium, and a program for preventing the display of windows other than the window

displayed on an external display device.

In order to perform these object, the information processing apparatus of this invention to process information and to perform two or more window displays on
5 a display device, has a screen memory for the above-mentioned display device, and a processing unit for outputting the image data of the specific window of the above-mentioned screen memory to an external monitor.

Since the window specified among two or more windows
10 currently displayed on the personal computer screen is displayed on an external monitor, it can display only the picture of the specified window on the big screen, thereby an unnecessary window is not displayed. For this reason, multitasking of a computer is also realizable while being
15 able to enjoy a big screen display enough.

In this invention, it is preferable that the above-mentioned processing unit displays the selection menu of the above-mentioned external monitor output on the window of the above-mentioned display device, thereby can
20 be easily selected an output window.

In this invention, it is preferable that the above-mentioned processing unit outputs the image data of an effective window to the above-mentioned external monitor among two or more windows of the above-mentioned display
25 device, thereby can change an external display window by task specification of a processing unit.

In this invention, it is preferable that the

processing unit displays the selection menu of two or more kinds of the above-mentioned external monitor output on the window of the above-mentioned display device, thereby the above-mentioned processing unit can choose the output
5 mode of the external monitor that is linked or not with the change of a task.

In this invention, it is preferable, the above-mentioned processing unit starts up the display application program for the output of the above-mentioned
10 external monitor according to starting of an operating system, thereby it can save an operator's time and effort even though providing these functions.

In this invention, it is preferable that the above-mentioned processing unit displays each window
15 according to two or more started tasks on the display device, thereby can enjoy a big screen display enough while realizing multitasking processing.

In this invention, it is preferable that the above-mentioned processing unit executes application of
20 reproduction of an image, thereby can realize the powerful big screen display of an image on a personal computer level.

BRIEF DESCRIPTION OF THE DRAWINGS

25 Fig.1 shows a block diagram of the personal computer system of one embodiment of this invention.

Fig. 2 shows a software composition figure of the

personal computer in Fig. 1.

Fig. 3 shows a window screen figure of the personal computer of Fig. 1.

Fig. 4 shows a block diagram of the personal computer
5 of Fig. 1.

Fig. 5 shows a processing flow chart of TV display application program of Fig. 2.

Fig. 6 shows a diagram of the example of a display of TV display application of Fig. 5.

10 Fig. 7 shows a diagram of other examples of a display of TV display application of Fig. 5.

Fig. 8 shows a diagram of further example of a display of TV display application of Fig. 5.

15 BEST MODE FOR CARRYING OUT THE INVENTION

The embodiments of the invention will be explained according to figures below.

Fig. 1 is a block diagram of a personal computer of
20 one embodiment of the invention, Fig.2 shows the software composition of the personal computer of Fig. 1 and Fig. 3 shows window screen figures of Fig. 1.

Fig. 1 shows the desktop type personal computer to the example as information processing apparatus of this
25 invention. The main part 1 of a personal computer has an information processing unit, a memory unit, a communication unit, a display control unit, etc. so that it may mention

later in Fig. 4. A personal computer display device 2 is connected with the main part 1 of a personal computer, and receives the VGA signal of the main part 1 of a personal computer, and is used as a display device that displays the screen of a personal computer. The personal computer display device 2 has a 17 inches screen, for example.

A keyboard 10 is connected with the main part 1 of a personal computer by the cable or radio, and performs directions by the key. A mouse 11 is connected with the main part 1 of a personal computer by the cable or radio, and operates a pointer.

Television 3 comprises an external display which receives an NTSC signal or a video signal and displays a picture, and is constituted from the wide television which displays a wide screen by this example, for example, has a 40 inches screen.

The composition of the software (program) of the main part 1 of a personal computer consists of OS (program manager) 30 and two or more application programs 31, and 32-1 - 32-n which operates to the origin of management of OS 30, as shown in Fig. 2.

A personal computer 1 can choose and start two or more applications according to operation of the keyboard 10 and the mouse 11 after the startup of OS 30, and the processing situation of application is displayed on the personal computer display device 2. Since the display area of the personal computer display device 2 is restricted, the

processing situation of each application is displayed on a display device 2 in a window. In this example, application 32-n of DVD-Video/GAME and the application of a word processor / spreadsheet 32-1 are started, and the window 5 20 of DVD-Video/GAME and the window 21 of a word processor/spreadsheet are displayed on the personal computer display screen.

In order to display each window on a personal computer display screen and display greatly the window which wants 10 to operate it, an effective window to operate is displayed on a face side, and a part of other windows are exposed and displayed on the back side. In the example of Fig. 1, the window 20 of DVD-Video/GAME is displayed on a face side, and the window 21 of a word processor/spreadsheet is 15 displayed on the back side. The face/back side relation of this window can be changed, that is, the face/back side is reversed by clicking a back window (application) by using the taskbar of a personal computer screen.

In the example of Fig. 1, if the application of the 20 word processor/spreadsheet of a taskbar is clicked in the state where the window 20 of DVD-Video/GAME is displayed on a face side and the window 21 of a word processor/spreadsheet is displayed on the back side, the window 20 of DVD-Video/GAME is displayed on the back side, 25 and the window 21 of a word processor/spreadsheet is displayed on the face side.

One feature of this invention is to display the window

specified among two or more windows currently displayed on the personal computer screen on the big screen of the external television 3. In the example of Fig. 1, in the case of displaying the effective window on the big screen
5 at the external television 3, in the state where the window 20 of DVD-Video/GAME is displayed on a face side, and the window 21 of a word processor/spreadsheet is displayed on the back side, the window of DVD-Video/GAME is displayed on the external television 3. Contrary, in the state where
10 the window 20 of DVD-Video/GAME is displayed on the back side, and the window 21 of a word processor/spreadsheet is displayed on the face side, the window of a word processor/spreadsheet is displayed on the external television 3.

15 As shown in Fig. 2, for this reason, TV (television) display application program 31 is provided as application managed by OS 30. This TV display application 31 is started automatically after starting of OS 30, and carries out TV display control of a window, as explained in Fig.5. And
20 as shown in Fig. 3, the setting menu "TV display" of TV display application is displayed on the menu bar 25 of the window 20 (21) of other applications. That is, "TV display" menu is added to the menu bar 25 in addition to such as a "file", "edit", and a "tool".

25 When this "TV display" is clicked, the pull down menu 26 which sets up TV display is displayed, as shown in Fig. 3. This pull down menu 26 consists of a " it is always an

output" menu that displays TV not concerned effectively / non-effectively, a "it is an output when effective" menu which displays by TV when a window is effective, an "it is an output immediately" menu which immediately displays
5 by TV until the window becomes non-effective, and a "stop" menu for the stop of TV display. An operator clicks either one of the pull down menus 26, and can set up TV display conditions.

Thus, for every window, TV display application 31 sets
10 up TV display conditions, and controls TV display for every window.

Next, Fig. 4 explains construction of the main part 1 of a personal computer, and Fig. 5 explains the processing flow of TV display application 31.

15 First, as shown in Fig. 4, the main part 1 of a personal computer has CPU (central processing unit) 40, ROM (read-only memory) 41, RAM (random access memory) 42, and HDD (hard disk drive) 43 as a processing unit.

The CPU40 is a processor that executes data processing,
20 and can be used the Pentium processor of Intel, K series processor of AMD, etc. The ROM41 is a read-only memory for storing a fixed program and data, etc. required for processing. The RAM42 memorizes the data under data processing of CPU40 temporarily. The HDD43 is a mass storage
25 device, and stores a program and data, and, in this invention, OS 30, such as Windows, TV display application 31, other applications 32-1 - 32-n are installed in HDD43.

The optical disk drive (DVD-DR) 44 consists of disk drive that reads DVD. Image software is memorized by this DVD. FDD45 is a drive that performs reading/writing of FD (Floppy Disk). The communication unit 46 communicates with
5 other apparatus and a network, and consists of a modem, a LAN card, a radio-communications board, etc.

VGA (Video Graphic Array) 47 consists of processors only for pictures, and performs drawing processing etc. V-RAM (Video Random Access Memory) 48 is RAM for personal
10 computer screen memories, and is written the image of a screen in by VGA47. The XGA driver 49 reads the screen memory of V-RAM48, and outputs an XGA signal to the personal computer display device 2.

The NTSC/Video conversion circuit 50 converts the
15 image data of a screen memory to an NTSC signal, and outputs it to the external television 3. A bus 51 connects these units and exchanges a command, data, etc.

Next, Fig. 5 explains TV display application program of Fig. 2.

20 (S10) OS 30 is started and TV display application 31 is started.

(S11) An operator chooses required application with a keyboard and a mouse, and starts application. For example, when DVD reproduction application 32-n is started, DVD is
25 read by DVD-DR44, image data is written in V-RAM48 by XGA47, and the XGA driver 49 converts image data into an XGA signal, and outputs to the personal computer display device 2. At

this time, the image of DVD is displayed in the window that is set up in the personal computer screen. As shown in Fig. 3, TV display menu is displayed on this window. If needed, an operator clicks TV display menu, and opens a pull down menu 26, and can choose an "it is always an output" menu, "it being an output when effective", an "it is an output immediately" menu, or a "stop" menu.

CPU40 checks the TV display conditions of a window. When "it is always an output" is specified, it is judged whether or not "it is always an output" is specified in other window. And when "it is always an output" is not specified in other windows, it progresses to Step S12. On the contrary, when "it is always an output" is specified in other windows, the display conditions are replaced to TV output stop, and TV output is not performed.

Similarly, when "it being an output when effective", or "it is an output immediately" are specified, it is judged whether or not the window is effective. An effective window is an active window and is a window displayed on the top face of a personal computer screen. If it is an effective window, it is judged whether or not "it is always an output" is specified in other windows. And "it is always an output" is not specified in other windows, it progresses to Step S12. On the contrary, when it is not an effective window, or when "it is always an output" is specified in other windows, the display conditions are replaced to TV output stop, and TV output is not performed. TV output is suspended when

"the stop" is specified.

(S12) CPU40 acquires the image data in a window. That is, the image data for one screen in the window concerned of the screen memory of V-RAM48 is read, and it expands
5 if needed, and sends out to the NTSC/Video conversion circuit 50.

(S13) The NTSC/Video conversion circuit 50 converts this image data into an NTSC signal, and outputs it to the external television 3. The external television 3 displays
10 this.

Thus, the picture of the appointed window of the personal computer screen 2 can be changed into a television signal, and it can express as the external television 3. Fig. 6 or 8 is the example of a display.

15 As shown in Fig. 6, DVD reproduction application is started and a DVD picture is displayed on the personal computer display device 2. Furthermore, the DVD picture of the window 20 is displayed on the external television 3 by specifying TV output with the above-mentioned TV
20 display menu to enjoy a DVD picture by the big screen.

When E-mail transmits or receives in the meantime, even if the window 22 of E-mail opens with an effective window, the DVD picture display of a window 20 is continued by the external television 3 by always specifying the window
25 20 of DVD to be an output. In the meantime, a personal computer operator can perform check of reception E-mail, and transmission. For this reason, while being able to enjoy

the DVD picture using the personal computer, other applications of a personal computer can be used simultaneously.

In the example shown in Fig. 7, DVD reproduction application is started and a DVD picture is displayed on the personal computer display 2. Furthermore, the DVD picture of the window 20 is displayed on the external television 3 by specifying TV output with the above-mentioned TV display menu to enjoy a DVD picture by the big screen.

Even if the application of a word processor starts and the window 21 opens as an effective window in the meantime at the time of word processor operation, the DVD picture display of a window 20 is continued by the external television 3 by always specifying the window 20 of DVD to be an output. In the meantime, a personal computer operator can operate a word processor.

For this reason, while being able to enjoy the DVD picture that uses the personal computer by a lot of people, an operator can use other applications of a personal computer simultaneously, if necessary. And since an unnecessary window is not displayed on the television 3, the big screen picture of television can be enjoyed fully.

Fig. 8 is the example of use of the presentation using a personal computer and a television. A personal computer operator (presenter) displays an announcement manuscript and its data 1-6 side by side in each window of the personal

computer screen, and chose the TV display menu of the window, thereby can be displaying the specified window on the external television 3. The auditor who watches the external television 3 is seen only in a presenter's required data, and, on the other hand, a presenter can see the whole data. For this reason, the presentation of the contents of an announcement can be carried out smoothly. This example indicates the effective window by priority like the example of Fig. 1.

10 In the above case of the operation, although the combination of image reproduction processing and other processing explained, it is applicable also to the combination of the processing which does not include image processing like combination, such as word processor
15 processing and E-mail processing, for example.

Moreover, as image software, although DVD is explained, CDs (Compact Disk) etc. may be other image software and TV receiving contents.

Furthermore, although television is explained as the
20 external display, an image projector and a digital display device can be used.

Although the example for automatically starting TV display application by starting of OS is explained, it can be started by an operator's selection, and the setting kind
25 of TV display conditions can also be decreased or increased if needed.

Moreover, in order to raise display resolution, the

reproduction picture of DVD may be converted into NTSC as it is and is displayed on external television.

Although the desktop computer explained, it is applicable also to a notebook PC and a mobile personal
5 computer.

As mentioned above, although this invention is explained by the embodiments, within the limits of the technical meaning of this invention, various modifications are possible for this invention, and it does not eliminate
10 these from the technical range of this invention.

INDUSTRIAL APPLICABILITY

Since the screen memory for the availability display
15 and the processing unit for outputting the image data of the specific window of the above-mentioned screen memory to an external monitor are provided, only the picture of a specified window among two or more windows currently displayed on the screen can be displayed on the external
20 monitor. Therefore, only the specified window is displayed on the big screen, but an unnecessary window is not displayed. For this reason, multitasking of a computer is also realizable while being able to enjoy a big screen display enough.

25